

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	4	waypoint and IDE and "717".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 13:35
S3	1	waypoint and IDE and "714".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 13:36
S6	177	(compil\$3 with (mark\$2 flag part portion)) and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 14:08
S7	147	(compil\$3 with (part portion)) and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 13:26
S11	53	(compil\$3 with point) and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 14:32
S12	44	compil\$3 and ("lower bound" or "upper bound") and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/14 15:22
S14	30	(compil\$3 with (part portion) with source) and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 14:30
S17	17	(compil\$3 with (marker waypoint point) with code) and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 15:49

S18	13	(compil\$3 with (marker waypoint point) with code with edit\$3) and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 15:28
S19	43	compil\$3 and ("code editor") and (waypoint "stop point" break terminor "break point") and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 14:47
S23	74	(compil\$3 with ("check point" checkpoint\$3 "watch point" watchpoint \$3 waypoint)) and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 16:29
S24	5	(compil\$3 with (selective partial)) and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:23
S25	4	(compil\$3 same ("check point" checkpoint\$3 "watch point" watchpoint)) and IDE and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 09:43
S26	3	(editor with ("check point" checkpoint\$3 "watch point" watchpoint)) and compil\$3 and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 09:50
S27	3	(editor with ("check point" checkpoint\$3 "watch point" watchpoint waypoint)) and compil\$3 and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 09:51
S28	30	(editor with ("check point" checkpoint\$3 "watch point" watchpoint waypoint "break point")) and compil\$3 and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 11:43
S29	23	((IDE edit\$3) with ("check point" checkpoint\$3 "watch point" watchpoint waypoint)) and compil\$3 and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:22

S30	612	(compil\$3 with (selective partial)) and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:24
S31	51	(compil\$3 with (selective partial)) and editor and point and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:24
S32	61	(editor with ("check point" checkpoint\$3 "break point" breakpoint)) and compil\$3 and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 12:10
S33	628	editor and ("check point" checkpoint\$3 "break point" breakpoint) and compil\$3 and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:41
S34	148	"visual basic" and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 12:53
S37	16	(compiling with resume) and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:27
S40	33	file with reader and compil\$5 and breakpoint and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 14:56
S42	150	(open near3 system near3 call) and compil\$5 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:00
S43	123	(open near3 system near3 call) and compil\$5 and unix and @ad<"20030630"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:21

S44	5	(open near3 system near3 call) and compil\$5 and unix and gcc and @ad<"20030630"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:01
S45	27	("open system call") and compil\$5 and unix and @ad<"20030630"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 16:20
S48	7	unix adj command and S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:28
S49	628	editor and ("check point" checkpoint\$3 "break point" breakpoint) and compil\$3 and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:42
S50	25	(upper and lower) with bound and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 15:42
S52	1	("open system call") and gcc and @ad<"20030630"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 08:06
S54	71	(read with source with code with input) and compiler and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 15:44
S55	224	(file near3 read\$2) with compiler and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 15:45
S56	127	(file near3 read\$2) near3 compiler and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 15:51

S57	109	("open system call") and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 15:52
S58	86	("open system call") and UNIX and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 15:57
S59	1	("open system call") and UNIX and gcc and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 15:58
S61	21	(gcc near3 command) and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 16:18
S62	1	(UNIX near3 gcc) and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 16:18
S63	7	gcc near5 read and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 16:39
S64	16	gcc near command and @ad<"20030620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 16:39
S65	2	"20040261064"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 09:35
S66	5	(compil\$3 with bound with (part portion)) and IDE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 15:13

S67	4	(compil\$3 with bound with source) and IDE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 15:19
S68	9785	(compil\$3 and point and portion and bound and edit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 16:44
S69	155	compil\$3 and point and portion and ((lower upper) near bound) and edit\$3 and (source adj code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 16:46
S70	1099	compil\$3 same portion same (source adj code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 16:51
S71	393	compil\$3 with portion with (source adj code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 16:51
S73	1353	compil\$3 with portion with ((source adj code) program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 16:56
S74	12	((lower upper) near bound) and edit\$3 and S73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 16:57
S75	3013	compil\$3 with (portion block) with ((source adj code) program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 17:21
S76	12	((lower near bound) or (upper near bound)) and edit\$3 and S74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 17:22

S77	30	bound same portion same (source program) same compil\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/04 10:26
S78	1022	portion same (source program) same compil\$3 and (editor IDE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/04 10:45
S79	289	portion with (source program) with compil\$3 and (editor IDE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/04 10:46
S80	160	portion with (source program) with compil\$3 and (editor IDE) and "717". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/04 10:47
S81	40	defin\$3 with (block portion) with (source program) with compil\$3 and (editor IDE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/04 11:06
S82	25	point with (block portion) with (source program) with compil\$3 and (editor IDE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/04 11:29
S83	11	((lower upper) near bound) with point and compil\$3 and suspend\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/04 14:36
S84	2	"20050050526".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/04 15:24
S86	1	portion with compil\$3 with source and "6836884".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 14:21

S87	0	portion with compil\$3 with "6836884".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:52
S88	1	portion with compil\$3 and "6836884".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 15:53
S89	0	portion with compil\$3 and "6836884""pn.-"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/08 09:04
S90	1	portion with compil\$3 and "6836884".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/08 09:04
S92	2	"6725457".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/08 10:07
S93	2	"20050005265".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/08 10:49
S94	22	("4667290" "5586328" "6044218" "6094528" "6237135" "6269475" "6327702" "6389590" "6412107" "6484313" "6557023" "6557168" "6560774" "6567974" "6721941").PN. OR ("6836884").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/08 12:30
S95	970	condition\$3 near3 compil \$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/08 13:28
S96	187	header and source and S95	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/08 13:32
S97	164	header and source and portion and S95	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/08 13:35
S98	1	"20050177821".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/08 15:50

S99	2	"20050081019".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 09:33
S100	0	portion with start and "6836884".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 14:06
S102	2	"6138271".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 09:17
S103	0	scrap\$3 with compil\$3 with portion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 09:47
S104	46	divid\$3 with compil\$3 with portion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 09:47
S105	2	"20060225040".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 12:07

4/10/2008 2:44:14 PM

C:\Documents and Settings\jwu1\My Documents\EAST\Workspaces\10807833.wsp